NW102s MANUAL BED





NW102s

FEATURES AND HIGHLIGHTS



Technical parameters

External size (LxWxH)	2000x1000x800 mm
 Mattress platform 	1900x900 mm

-	Safe working load	200 kgs

Technical configuration

☑ 5" Covered Castors	4pcs
Inergrated Folding Guardrial	1set



Steels | Painting Baosteel from Fortune Global 500. 11 Process epoxy painting, ASTM testing antibaterial, paint thickness 0.12 mm, brightness 60°, paint can resist 50kg impact.



Platform Bar-type platform, smooth surface no welding scar, bearing 200KGS load.



Head & Foot Board Powerd coated steel head&foot board, removable.



Siderail Inergrated folding guardrial.



Crank Chrome coated material, high strength. The end of the handle is covered with ABS, which is wearresistant, long lasting.



Castors 5" covered casters. TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts. Pass Dynamic test: Bearing 120kg run 30KM and

Pass Dynamic test: Bearing 120kg run 30KM and pass obstacles 500 time.



NUMBER WIN



+86 18021231901

♥ No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

() www.number-win.com





As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.