NW102s

MANUAL BED





NW102s

FEATURES AND HIGHLIGHTS



Technical parameters

External size (LxWxH)	2000x1000x800 mm
 Mattress platform 	1900x900 mm
■ Back-rest adjustment	0-75° (±10°)
Safe working load	200 kgs

Technical configuration

\checkmark	Manual crank	1pc
\checkmark	5" covered castors	4pcs
V	Inergrated folding guardrial	1set



Steels | Painting

Baosteel from Fortune Global 500. 11 Process epoxy painting, ASTM testing antibaterial, paint thickness 0.12 mm, brightness 60°, paint can resist 50kg impact.



Platform

Bar-type platform, smooth surface no welding scar, bearing 200KGS load.



Head & Foot Board

Powerd coated steel head&foot board, removable.



Siderail

 $Inergrated\ folding\ guardrial.$



Crank

Chrome coated material, high strength. The end of the handle is covered with ABS, which is wear-resistant, long lasting.



Castors

5" covered casters.

TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts.

Pass Dynamic test: Bearing 120kg run 30KM and pass obstacles 500 time.



NUMBER WIN



+86 18021231901

- No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
- export@number-win.com
- www.number-win.com















