NW104

MANUAL BED





NW104

FEATURES AND HIGHLIGHTS



Technical parameters

External size (LxW)	2140x960x500(±10mm)
 Mattress platform 	1950x900mm
Back-rest adjustment	0-75° (±10°)
Safe working load	200 kg
•	······································



Technical configuration

☑ ABS bed ends with safe lock	1set
☑ Manual crank	1 pc
☑ 5" covered castors	4pcs
☑ 6-bar foldable side rail	1set
✓ IV pole prevision	4pcs
☑ Drainage hook	2pcs





Design

The simple and elegant head and foot board design of the bed meets the hospital's infection control requirements and supports daily disinfection operations.



Plastic

Environmentally friendly plastic, non-toxic and odorless



Weldingl

Fully automatic robot seamless welding process, high quality welding



Platform

It is made of high-quality cold-rolled steel plate and stamped in one step, with a thickness of 1.0mm and a bed width of 900mm. It has a multi-hole design for breathability and antislip function. There are no solder joints on the surface, and there are steel pipe reinforcements on the back to extend the life of the hospital bed. It can bear a load of 200KG.



Siderail

Equipped with sixth aluminium alloy guardrail, the design concept is a combination of aluminum alloy horizontal bars and stainless steel vertical bars, which is corrosion-resistant, has both aesthetic appeal and increased strength.



Head & foot board

Simple and elegant bed head and foot shape, easy to disassemble and install, with medical record card at the foot of the bed.



Crank

Retractable ABS crank handle



Castors

Using medical silent wheels with a diameter of 125mm, and each caster has a brake.



NUMBER WIN



+86 18021231901

- No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
- export@number-win.com
- www.number-win.com















