NW303 MANUAL BED





NW303

FEATURES AND HIGHLIGHTS



Technical parameters

External size (LxW)	2080x960±20mm
Back-rest adjustment	0-70° (土5°)
Knee-rest adjustment	0-35° (土5°)
Safe working load	200 kg
Height adjustment	500-750mm±20mm


Optional

□ Mattress platform

1960x900x500±20mm



Design Modern design. Easy to be cleaned and installed.



Steels | Painting Baosteel from Fortune Global 500. 11 Process epoxy painting, ASTM testing antibaterial, paint thickness 0.12 mm, brightness 60°, paint can resist 50kg impact.


Technical configuration

\checkmark	Manual crank	3pcs
\checkmark	5" covered castors	4pcs
1	ABS bed ends with safe lock	1set
\checkmark	Foldable side rail	1set
\checkmark	IV Pole 4 Hooks	1set
\checkmark	IV Pole Prevision	4pcs





Siderail Aluminum alloy side rail, 5-staff, collapsed type with safe lock.



Platform Bar-type platform, smooth surface no welding scar, bearing 200KG load.



Castors 5" covered casters. TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts. Pass Dynamic test: Bearing 120kg run 30KM and

Pass Dynamic test: Bearing 120kg run 30KM and pass obstacles 500 time.





NUMBER WIN



+86 18021239272

♥ No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

() www.number-win.com





As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.

General catalogue