


NWB039(D)

AMBULANCE STRETCHER TROLLEY




NWB039(D)



FEATURES AND HIGHLIGHTS

Technical parameters

▪ Full size (LxWxH)	1900x550x920mm
▪ Lowest size (LxWxH)	1900x550x250mm
▪ Back-rest lifting	0-75°
▪ Net weight	35kg
▪ Load bearing	≤159kg




Safety Lock

The safety lock is locked when transporting a patient, and unlocked when getting on an ambulance.



Caster

5" silence caster. Advanced protection universal brake wheel, easy to move, simple to operate, reliable performance.



IV Pole

Telescopic stainless steel infusion rod, strong bearing capacity, more convenient to use.



Function

The mechanical folding legs are controlled by the handles at both ends of the stretcher, which can be easily lowered when entering the ambulance.



Back Rest Lifting

Back is adjustable which makes the wounded feel comfortable. Back rest lifting 0-75°.



Fixing Devices

Can be locked by the fixing devices when on the ambulance car.



Structure

Adopt high-quality aluminum alloy material, fitting aluminum alloy die-casting, light weight, anti-corrosion and anti-rust.



Cushion

Adopt sponge cushion to make the injured and sick lying comfortably.



Leather / Safety Belts

Artificial leather, bright appearance, soft texture, abrasion resistance, folding resistance, acid and alkali resistance. With 2 safety belts, make patient safer.



Guardrail

The aluminum alloy flip guardrail is convenient for patients to get on and off the stretcher, and is equipped with two safety belts.



NUMBER WIN

MEDICAL TECHNOLOGY

As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.



7×24

Online 24 Hours for Sales Service
Timely Response for Clients' Problems

+86 18021239272

Suzhou Number Win Medical Technology Co.,Ltd.

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

www.number-win.com



Company video



General catalogue