NWC200 CHILDREN BED






NWC200

FEATURES AND HIGHLIGHTS

Technical parameters

| External size (LxWxH) | 1600x700x1000 mm |
|-----------------------|------------------|
| Bed height | 500 mm |
| Mattress platform | 1580x660 mm |
| Back-rest adjustment | 0-75° (±10°) |
| Knee-rest adjustment | 0-35° (±10°) |





Technical configuration

| 2pcs |
|------|
| 1set |
| 1set |
| 1pc |
| 4pcs |
| 2pcs |
| |





Steels | Painting

Baosteel from Fortune Global 500. 11 process epoxy painting, ASTM testing antibaterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



Welding

Panasonic Robotic ensure 360° full smooth wedlding.



Hand Control

Suspended hand crank, 100,000 times remaining intact.

Extreme protection device, warning when tipped to the max position.



Platform Punching platform, smooth surface no welding scar, bearing 250KG load. Option resin X-ray translucent platform.



Head & Foot Board Powder coated steel frame, MDF material fireproof plate. size of the head&foot board can be customized. With carton photograph.



Guardrail Foldable guardrail with protection handle, modern and beautiful, easy to install, easy to clean, anti-pinch, protect patient's safety.



IV Pole Full SS IV pole, bearing 15kg.



Drainage Hooks Mobile plastic drainage hooks.



Optional Lifting pole - Bearing 765N force! Oxygen cylinder rack - adjustable for anysize tank. Shoes holder: 800*400mm, adjustable.



NUMBER WIN



+86 18021231901

♥ No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

() www.number-win.com





As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.