# NWE-135

### ELECTRIC DIALYSIS CHAIR





# NWE-135

### FEATURES AND HIGHLIGHTS





#### Technical parameters

Size	1800×550mm
■ Back	780×590mm
<ul> <li>Seat</li> </ul>	480×550mm
• Leg	(460-580)×420mm
<ul> <li>Seat height</li> </ul>	550mm
• Pillow	370×230mm
<ul> <li>Armrest</li> </ul>	500×160mm
<ul> <li>Mattress thickness</li> </ul>	60mm
Back rest lifting	-10° - 70°
Leg rest lifting	-70° - 0°
Armrest swing out	0°-270°
Voltage and frequency:	100-240 V · 50/60 Hz
Plug as required (hospital grade)	


### Technical configuration

☑ Hand controller	1pc
☑ Power cord	1pc
☑ 3" silent caster	1set






**Steels**Baosteel from Fortune Global 500.




#### 11 Process epoxy painting, ASTM testing antibaterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



**Welding**Panasonic Robotic ensure 360° full smooth wedlding.



**Electric Motor**Linear motor, with UL/ROHS/EN standard.
Noise under 50 dB, with lifetime 20,000 times movement.



**Chair Cover**Optional genuine leather or supebric cover, with artisanal making, comfortable hand feeling.



**Pillow** Ergonomics design removable pillow.



Handrail

Upgraded armrest, can be right-left, front-back adjustable. Donor can control universal position. Armrest is R120° concave curve, avoid donor's arm sliding, ensure the donor's safety and comfortable.



## **NUMBER WIN**



+86 18021231901

- No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
- export@number-win.com
- www.number-win.com















