


NWF145-1

GYNECOLOGICAL TABLE



NWF145-1

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxWxH)	1820x500x800 mm
▪ Back-rest adjustment	0-55° ($\pm 10^\circ$)
▪ Knee-rest adjustment	0-85° ($\pm 10^\circ$)



Technical configuration

<input checked="" type="checkbox"/> Lithotomy Rod	1set
<input checked="" type="checkbox"/> Hand Bar	1set
<input checked="" type="checkbox"/> Anti-slip Bed Feet Cover	4pcs
<input checked="" type="checkbox"/> Mechanical Level	2sets
<input checked="" type="checkbox"/> Stainless Steel Basin	1pc



Design

Simple structure, practical; Whole stainless steel material meets the needs of the surgical room. This bed is designed for gynecological diagnosis, operation and parturition.



Material

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth wedding.




Leather

Flame retardant, yellow resistance, mildew resistance, bending resistance, 100,000 times wear resistance.



Sponge

Flame retardant, 4 cm thickness, high-density foam, density 30 kg/m³.



Lithotomy Rod

Lithotomy Rod, adjustable in height and different angles.



Hand Bar

Granular surface to increase friction and prevent hand slip.



Stainless Steel Basin

Removable stainless steel basin, convenient to take out.



Feet Cover

4 pcs Anti-slip bed feet covers.



As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.

NUMBER WIN

MEDICAL TECHNOLOGY



7×24

Online 24 Hours for Sales Service
Timely Response for Clients' Problems

+86 18021231901

Suzhou Number Win Medical Technology Co.,Ltd.

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

www.number-win.com



Company video



General catalogue