NWF2046-2

GYNECOLOGICAL EXAMINATION TABLE





NWF2046-2

FEATURES AND HIGHLIGHTS









Technical parameters

•	Overall dimensions	1830×625×800mm
•	Back lifting	0-63° (±5°
	Trendelenburg	0-18°(±2°
•	Reversed trendelenburg	0-18°(±2°
•	Gross weight	47k _{
•	Net weight	45k _{
	Packing size	710×300×1350mm

Technical configuration

✓ Mattress	1 set
☑ Guardrail	3 pcs
☑ Manual crank	1 pc
✓ Assist handle	2 pcs
☑ Legrest	2 pcs
☑ IV pole	1 pc
✓ Waste basin	1 pc



Design

Suitable for hospitals, clinics, family planning centers, and mobile gynecological vehicles. Auxiliary equipment for diagnostic surgery and family planning examination.




Material

High-quality stainless steel construction, with a thickness of $1.0 \ \text{mm}$ and strong load capacity (up to $150 \ \text{kg}$).




Welding

Argon arc welding, neat and smooth seams.



Guardrail

Three sides equipped with detachable stainless steel guardrails, making it easy for patients to get on and off the bed. The guardrail height is 250mm±10mm.



Back Plate

Backrest controlled by a gear rack, can be adjusted to raise at an angle of 0-63.5° \pm 5°, facilitating patient sitting.




Seat Plate

U-shaped cutout for easy doctor access.



Leg Plate

Foldable sliding leg board has a knob limit design for effortless sliding and compact storage.



Base

Stable triangular base design facilitates adjusting the bed's horizontal tilt angles for various positions.



Lever

Lever is made of steel, offering high support strength, durability, safety, and noiseless operation for smooth usage.



Mattress

High-density sponge mattress with PU cover and a U-shaped cutout at the hip area for doctor convenience. The mattress thickness is 40mm.



Assist handle

Foldable assist handles, easy for patients to grip.



Legrest

Manual multi-angle adjustment for added convenience.



IV pole

Stainless steel IV pole with four hooks, convenient for patient infusion.



Waste basin

Standard stainless steel waste basin (30cm in diameter), sturdy, easy to install, detachable and position adjustable.









NUMBER WIN



+86 18021231901

- No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
- export@number-win.com
- www.number-win.com















