

NWFA206

ELECTRIC OPERATING TABLE



NWFA206

FEATURES AND HIGHLIGHTS

Technical parameters

▪ External size (LxW)	1980x550(±10mm)
▪ Height adjustment	670-940mm(±10mm)
▪ Head plate(up/down)	25°/ 90°±5°
▪ Back plate(up/down)	65°/ 25°±5°
▪ Lateral tilt(left/right)	25°/ 25°±5°
▪ Reversed Trendelenburg	≥20°±5°
▪ Trendelenburg	≥20°±5°
▪ Leg plate (up/down/evagination)	10°/90° 90°
▪ Kidney bridge	120mm±10mm
▪ Horizontal sliding	300mm±10mm

Technical configuration

☑ Anesthesia screen frame	1pc
☑ Armrest	2pcs
☑ Leg support	2pcs
☑ body holder	2pcs
☑ Shoulder holder	2pcs
☑ Hand controller	1set
☑ Mattress	1pc





Material

Base cover made of 304 stainless steel, by robot seamless welding molding, providing nice appearance and stability.



Mattress

Removable memory mattress, anti-static, anti-bacterial and anti-impact.



Brake

Brake controlled by manually adjusting the screw.



Head plate

Headrest operated by gas spring.



Kidney bridge

With kidney bridge function, lifting adjusted by the rocker, more convenient.



Horizontal sliding

Providing 300mm horizontal sliding, with high-strength phenolic resin countertop, it can be used for X-ray and C-arm.



Leg plate

The up-and-down of leg plate is operated by the gas spring, more effortless.



Anesthesia screen frame

Equipped with a stainless steel anesthesia screen frame for hanging anesthesia curtains, used to shield and cover the patient's head during use.



Shoulder support

Polyurethane support frame, adjustable in angle, used to stabilize the patient's body.



Body support

Polyurethane support frame, adjustable in angle, used to stabilize the patient's body.



Arm rest

Polyurethane widened armrest board with attached straps, providing stable performance and versatile applications.



Leg rest

Manual multi-angle adjustment for easy use.

Professional functions

Height adjustment
670-940_{mm}



Back plate upward
0°-65°



Back plate downward
0°-25°



Kidney bridge elevation
0-120_{mm}



Reversed trendelenburg
0°-20°



Trendelenburg
0°-20°



Left lateral tilt
0°-25°



Right lateral tilt
0°-25°



Leg plate up/down
10°/90°



Leg plate up/down
0°-90°



Head plate up
0°-25°



Head plate down
0°-90°



Horizontal sliding
0-300_{mm}





NUMBER WIN

MEDICAL TECHNOLOGY



7×24

Online 24 Hours for Sales Service
Timely Response for Clients' Problems

+86 18021239272

Suzhou Number Win Medical Technology Co.,Ltd.

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

www.number-win.com

As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.



Company video



General catalogue