



NWM038-2

PATIENT TROLLEY



NWM038-2

FEATURES AND HIGHLIGHTS



Technical parameters

▪ External size (LxW)	1960x700 mm
▪ Table height adjustment	620-860 mm
▪ Back plate adjustment	0-75°


Technical configuration

<input checked="" type="checkbox"/> Crank system	1 set
<input checked="" type="checkbox"/> Back plate air spring	1 set
<input checked="" type="checkbox"/> Plastic side guardrail	1 set
<input checked="" type="checkbox"/> 5" covered castors	4 pcs
<input checked="" type="checkbox"/> IV pole	1 set
<input checked="" type="checkbox"/> IV pole prevision	4 pcs
<input checked="" type="checkbox"/> Mattress	1 pc



Guardrail

Virgin ABS material tuck away side rail with buffer. The guardrail is shaped on easy structure to hold and it can help the patient stand up easily by holding the rail.




Handle crank

Steel hanging crank, 100,000 times remaining intact, it can be fold under the bed when not in use.



Bed surface

The trolley surface is made of powder coated steel, smooth surface no welding scar.




Bed frame

The trolley base is made of powder coated steel.



Caster

5 inch TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts.
Pass Dynamic test: Bearing 120kg run 30KM and pass obstacles 500time.



Steels | Painting

Back rest lifting 0-75°, controlled by gas spring.



NUMBER WIN

MEDICAL TECHNOLOGY



7×24

Online 24 Hours for Sales Service
Timely Response for Clients' Problems

+86 18021231901

Suzhou Number Win Medical Technology Co.,Ltd.

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

export@number-win.com

www.number-win.com

As the circumstance of printing, the photos might have minor difference on color, tactile from real products.
As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.



Company video



General catalogue