NWX01-5 BABY CRIB





NWX01-5

Trendelenburg

FEATURES AND HIGHLIGHTS

Technical parameters

•	External size (LxWxH)	810×520×990 mm
•	Trendelenburg	18°

Technical configuration

\checkmark	Bassinet	1pc
V	3" Covered Castors	4pcs
V	IV Pole Prevision	1pc
√	IV Pole	4pcs
	Utility Basket	1pc
	Adjustable Air Spring	4pcs



Material

Stainless steel frame, baosteel from Fortune Global 500.



Painting

11 Process epoxy painting, ASTM testing antibaterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



Baby Basin

Transparent baby basin, environmentally acylic non-toxic, odorless, can be sterilized at temperatures above 100 °C.



Trendelenburg


The backward tilt design adopts pneumatic lifting mode, which is stable and can prevent the infant from vomiting after eating.



Castor

3" covered casters.

TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts.



Utility Basket

There is a litter basket at the bottom to store the baby's items.



Mattress

Custom mattress, easy disassembly and cleaning, optional.



IV Pole

Full SS IV pole, bearing 15kg.





NUMBER WIN



+86 18021231901

- No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
- export@number-win.com
- www.number-win.com















