NWZ-BD23 ELECTRIC EXAMINATION TABLE





NWZ-BD23

FEATURES AND HIGHLIGHTS

Technical parameters

 External L*W*H 	1810*680* (570-860) mm
 Back-rest Adjustment 	0-75°

Technical configuration

Z Pillow	1pc
☑ Motor	1pc
Mechanical Lever to Adjust Back Rest	1pc
☑ Casters	4Pcs
☑ Hand Controller	1pc
🗹 Paper Roll Holder	1pc





Eletronics

 Voltage 	100-240V
 Frequency 	50/60Hz
• Plug	as required (hospital grade)




leather Flame retardant, yellow resistance, mildew resistance, bending resistance, 100,000 times wear resistance



Sponge Flame retardant, 4 cm thickness, high-density foam, density 30 kg/m³



Painting 11 Process epoxy painting, ASTM testing antibaterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact





Metal Material Baosteel from Fortune Global 500 Panasonic Robotic ensure 360° full smooth wedlding



Electric SYSTEM Taiwan motor, Noise under 50dB, with lifetime 20,000times moveme



Back adjust Back adjust can choose rachet or motor



1.2-1.5 mm Thickness powder coated steel frame, 150 kg bear loading




2 pcs 2' Hidden castors, 2 pcs 2' universal wheels



Hand controller, keep qualified after 2000 times use



Engineering ABS material plug, foot pad



Paper roll holder Foot bar system Motor to adjust the back sectio



NUMBER WIN



□ +86 18021231901

Suzhou Number Win Medical Technology Co.,Ltd.

♀ No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China

🕺 export@number-win.com

www.number-win.com





As the circumstance of printing, the photos might have minor difference on color, tactile from real products. As the update of design and improvement, parameters and outlook of products might change, thanks for understanding.